Revision: 17.07.2013 Printing date 17.07.2013

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Polycuramine PC 96 Part A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Polycuramine Resin
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier: **ROCKSOLID FLOORS** 3001 103rd Lane NE Blaine, MN 55449 Phone: 866-765-4310

Fax: 763-780-4896



· 1.4 Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

2 Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.



GHS08 health hazard

H341 Suspected of causing genetic defects. Muta. 2



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R46: May cause heritable genetic damage.

Xi; Irritant

R36/38: Irritating to eyes and skin.

(Contd. on page 2)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 1)

Xi; Sensitising

May cause sensitisation by skin contact.

N; Dangerous for the environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53:

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).







GHS07 GHS08 GHS09

· Signal word Warning

· Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) Reaction products of Epichlorohydrin and Bisphenol A

oxirane, mono[(C12-14-alkyloxy)methyl] derivs

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

· Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

(Contd. on page 3)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 2)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P281 Use personal protective equipment as required.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water.

· Additional information:

Contains epoxy constituents. May produce an allergic reaction.

Restricted to professional users. Keep out of the reach of children

- · Hazard description:
- · WHMIS-symbols:

D2A - Very toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



Health = 3Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*3 Health = *3 1 Fire = 1 REACTIVITY Reactivity = 0

- * Indicates a long term health hazard from repeated or prolonged exposures.
- · HMIS Long Term Health Hazard Substances

25085-99-8 Reaction products of Epichlorohydrin and Bisphenol A

100-41-4 ethylbenzene

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

(Contd. on page 4)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin	50-1009
	(number average molecular weight ≤ 700)	
Index number: 603-074-00-8	Xi R36/38;Xi R43;N R51/53Aquatic Chronic 2, H411	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	Reaction products of Epichlorohydrin and Bisphenol A T Muta. Cat. 3 R46; Xi R38; Xi R43; N R51 Muta. 2, H341 Aquatic Chronic 2, H411	10-25%
	Skin Irrit. 2, H315; Skin Sens. 1A, H317	40.050
	Trade Secret Xi R38; X Xi R43	10-25%
	Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Trade Secret Xi R36/37/38 R10	<10%
	♠ Flam. Liq. 3, H226♠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
EINECS: 241-536-7	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane Xi R38; Xi R43	<10%
	🕦 Skin Irrit. 2, H315; Skin Sens. 1, H317	
Additional information: For t	the wording of the listed risk phrases refer to section 16.	
Notable Trace Components	(< 0.1% w/w)	
CAS: 122-60-1 EINECS: 204-557-2 Index number: 603-067-00-X	Muta. Cat. 3 Muta. 2, H341; Carc. 1B, H350 Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317; S7 3, H335 Aquatic Chronic 3, H412	TOT SE
CAS: 106-89-8 EINECS: 203-439-8 Index number: 603-026-00-6		
	Flam. Liq. 3, H226 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Carc. 1B, H350 Skin Corr. 1B, H314 Skin Sens. 1, H317	
CAS: 2238-07-5 EINECS: 218-802-6	2,2'-[oxybis(methylene)]bisoxirane Xn R22 Acute Tox. 4, H302	

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 4)

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

In case of irregular breathing or respiratory arrest provide artificial respiration.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Nausea

Cramp

Dizziness

Headache

Allergic reactions

· Hazards Danger of disturbed cardiac rhythm.

· 4.3 Indication of any immediate medical attention and special treatment needed

Monitor circulation, possible shock treatment.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

Later observation for pneumonia and pulmonary oedema.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Foam

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

Gaseous extinguishing agents

Water haze or fog

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 6)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 5)

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Avoid splashes or spray in enclosed areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Protect from humidity and water.
- Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 7)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 6)

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

106-89-8 1-chloro-2,3-epoxypropane (<0,1%)

PEL (USA) Long-term value: 19 mg/m³, 5 ppm

Skin

REL (USA) See Pocket Guide App. A

TLV (USA) Long-term value: 1,9 mg/m³, 0,5 ppm

Skin

EL (Canada) Long-term value: 0,1 ppm

Skin; IARC 2A, R

EV (Canada) Long-term value: 0,5 ppm

Skir

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Filter AX

Use suitable respiratory protective device when high concentrations are present.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

(Contd. on page 8)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 7)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Neoprene gloves

Nitrile rubber, NBR

· Eye protection:

Goggles recommended during refilling



Safety glasses

- · Body protection: Impervious protective clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

 9.1 Information on basic physical a General Information 	nd chemical properties	
· Appearance:		
Form:	Liquid	
Colour:	Whitish	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
		(Contd. on page 9)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

		(Contd. of page
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (US EPA Method 24)	4,0 % Wt	
· 9.2 Other information	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids.

Exothermic polymerization.

Reacts with catalysts.

Reacts with peroxides.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Halogenated hydrocarbons

Hydrogen fluoride

Nitrogen oxides

Carbon monoxide and carbon dioxide

(Contd. on page 10)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 9)

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

 I D/I C50 	values	relevant	for (classification
LD/LUJU	values	I CIC V alli	101	ciassilication.

1330-20-7 xylene

Oral LD50 4300 mg/kg (rat)
Dermal LD50 2000 mg/kg (rabbit)

100-41-4 ethylbenzene

 Oral
 LD50
 3500 mg/kg (rat)

 Dermal
 LD50
 17800 mg/kg (rabbit)

106-89-8 1-chloro-2,3-epoxypropane

Oral LD50 90 mg/kg (rat)
Dermal LD50 515 mg/kg (rabbit)
Inhalative LC50/4 h 250 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitizing effect through inhalation is possible by prolonged exposure.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Danger through skin adsorption.

Carcinogenic.

Toxic and/or corrosive effects may be delayed up to 24 hours.

- · Sensitisation: Sensitization possible by skin contact.
- · Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Muta. 2

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 11)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 10)

· Additional ecological information:

· General notes:

This statement was deduced from the properties of the single components.

Avoid transfer into the environment.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information	
· 14.1 UN-Number	
· DOT	N/A
· ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
DOT	N/A
· ADR	3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (Mixed Epoxy Resin)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (Mixed Epoxy Resin), MARINE
	POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (Mixed Epoxy Resin)
	(Contd. on page 12)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

	(Contd. of page 11)
· 14.3 Transport hazard class(es)	
· DOT · Class	N/A
· ADR	
· Class	9 (M6) Miscellaneous dangerous substances and articles.
· Label	9
· IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
14.4 Packing groupDOTADR, IMDG, IATA	N/A III
 · 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR): 	Yes Symbol (fish and tree) Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler):EMS Number:	90 F-A,S-F
 14.7 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	x II of Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Transport category Tunnel restriction code 	5L 3 E
	(Contd. on page 13)

(Contd. on page 14)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A		
	(Contd. of page 12)	
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700), Reaction products of Epichlorohydrin and Bisphenol A), 9, III	

15 Regulatory information · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) ·SARA · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): 1330-20-7 xylene 100-41-4 ethylbenzene · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 (California): · Chemicals known to cause cancer: Present in trace quantities: 122-60-1, 106-89-8. 100-41-4 ethylbenzene 122-60-1 phenyl glycidyl ether 106-89-8 1-chloro-2,3-epoxypropane · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: 122-60-1 phenyl glycidyl ether 2238-07-5 2,2'-[oxybis(methylene)]bisoxirane 106-89-8 1-chloro-2,3-epoxypropane · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic Categories · EPA (Environmental Protection Agency) 1330-20-7 xylene 100-41-4 ethylbenzene D IARC (International Agency for Research on Cancer) 106-89-8 1-chloro-2,3-epoxypropane 2A 122-60-1 phenyl glycidyl ether 2A

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

		(Contd. of page '
100-41-4	ethylbenzene	28
TLV (Thre	shold Limit Value established by ACGIH)	·
1330-20-7	xylene	A
100-41-4	ethylbenzene	A
122-60-1	phenyl glycidyl ether	A
2238-07-5	2,2'-[oxybis(methylene)]bisoxirane	A
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
122-60-1	phenyl glycidyl ether	
2238-07-5	2,2'-[oxybis(methylene)]bisoxirane	
OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	e ingredients is listed.	
Canada		
Canadian	Domestic Substances List (DSL)	
25068-38-0	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a weight \leq 700)	verage molecula
25085-99-8	Reaction products of Epichlorohydrin and Bisphenol A	
100-41-4	ethylbenzene	
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	
1330-20-7	xylene	
Canadian	Ingredient Disclosure list (limit 0.1%)	
100-41-4	ethylbenzene	
Canadian	Ingredient Disclosure list (limit 1%)	

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.

(Contd. on page 15)

Printing date 17.07.2013 Revision: 17.07.2013

Trade name: Polycuramine PC 96 Part A

(Contd. of page 14)

H411 Toxic to aquatic life with long lasting effects.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

Flammable.

R38 Irritating to skin.

R10

R43 May cause sensitisation by skin contact.
R46 May cause heritable genetic damage.

R51 Toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com